REQUEST FOR QUOTATION (RFQ): D09CASP 21-01

DATED: JANUARY 15, 2021

NIJ: BA-2000S-SX02 Body Armor

The United States Probation Office for the Southern District of California is seeking the above referenced equipment/item, quantity: 53.

ORGANIZATION: United States Court

U.S. Probation Office

Southern District of California 101 West Broadway, Suite 700 San Diego, CA 92101-7991

The organization is a Judiciary Branch of the Federal Government and is exempt from state and local taxes.

The tax exempt number is 95-6565020.

CONTACT: Brian Perkins

Contracting Officer

Budget, Purchasing & Finance Administrator Voice: (619) 557-7149 FAX: (619) 615-6007

Cell: (619) 894-6023

brian_perkins@casp.uscourts.gov

Closing date: February 15, 2021 (Pacific), 12:00 (noon).

Contract will be awarded on the lowest cost, technically acceptable proposal.

SX TECHNICAL SPECIFICATION SX02 – Type II

Test Standard	NIJ Standard: 0101.06		
Model	NIJ: BA-2000S-SX02		
Threat Type	Ballistic Level II		
Configuration	Neutral		
Armor Material	Honeywell® Spectra ®, DuPont™ Kevlar®, SAATI		
Armor Panel Covering	Dual Covered, 2 ply, 70 Denier Textured Nylon Blockade with TPU lamination system		

	Standard	Metric	
Areal Density	0.59 lbs/ft²	2.88 kg/m²	
Thinness	0.160 in	4.06 mm	
New V50 – .9 mm FMJ RN 124 gr.	1817 ft/s	554 m/s	
Conditioned V50 – .9 mm FMJ RN 124 gr.	1757 ft/s	536 m/s	
New V50 – .357 Mag JSP 158 gr.	1699 ft/s	518 m/s	
Conditioned V50 – .357 Mag JSP 158 gr.	1575 ft/s	480 m/s	
Backface Average – .9 mm	30.40 mm		
Backface Average – .357 Mag	34.80 mm		

Additional special threats: Special threats tested at an independent certified NIJ laboratory in accordance with Modified / Abbreviated NIJ 0101.06 Standard IAW Sec. 7.8.1 unless otherwise specified.

- Meets/Exceeds Requirements of FBI Body Armor Test Protocol
- Winchester Ranger T-Series, 9mm, 127 gr. +P+SXT (RA9TA) Tested Velocity 1300 ± 30 fps
- Winchester Ranger T-Series, .40 S&W 165 gr. SXT (RA40TA) Tested Velocity 1230 ± 30 fps
- Speer .357 Sig, 125 gr. Gold Dot Hollow Point (23918) Tested Velocity 1430 ± 30 fps

Federal 9mm, 124 gr. +	P HST (P9HST3) – Teste	ed Velocity 1300 ± 30	fps		
FN 5.7x28mm, 40 gr. S	S197 Sporting Round, Blu	ue Tip Hornady V-Ma	x Bullet – Tested Velo	ocity 1750 ± 50 fps	
dditional requirement	s: vendor will condu	ct on-site custon	n measurements	at 101 W. Broadwa	ay San Diego, CA 🤉